# CITY OF BAD AXE 2022 WATER QUALITY REPORT

In 1996, Congress amended the Safe Drinking Water Act which added a provision requiring that all community water systems provide their customers a brief annual water quality report. The City of Bad Axe is pleased to provide this information about the quality of the drinking water we provide you. Our goal is to provide you with a safe and dependable supply of drinking water.

Another amendment to the Safe Drinking Water Act was to reduce the allowable concentration of arsenic in drinking water. The City's existing ground water supply would not meet this requirement, which went into effect on January 23, 2006. The Bad Axe City Council(s) chose to develop the Huron Regional Water Authority with the Village of Port Austin to provide treated surface water from Lake Huron. The project took ten years to complete and is made up of Port Austin's newer intake system, a new micro filtration water treatment plant and three pumping stations to overcome the 150-foot elevation difference between Bad Axe and Port Austin. The system also included over twenty miles of new water mains, the majority of which are twenty inches in diameter and a new 500,000-gallon water tower. Some of the cost was covered with grant money, but most of the project was paid for with a forty-year loan from the Rural Development Association. The cost of the City's share of this debt is reflected on your water bill as the "Ready to Serve" charge. The operation and maintenance of the City's distribution system which includes the pipeline along M53 starting just south of Port Austin, the three pumping stations, the 500,000 gallon and 300,000-gallon water towers, the water mains and the backup well in the city and the City's share of the operation and maintenance of the water treatment plant are covered by the metered usage portion of your bill.

#### Where does my water come from?

As of January 2006, the city's drinking water has been supplied by the system described above.

The largest capacity groundwater well, of the city's original three, is maintained as an emergency backup to the HRWA water system. This well is approximately 265' deep drawing water from bedrock and Marshall Sandstone aquifers. The well is flushed and sampled for bacteria each month. It is also tested according to EGLE requirements as if it were providing your drinking water on a regular basis. You will be notified using public media sources such as newspapers and radio if we ever must use the well to supply drinking water as the water from the well will not meet the current arsenic requirements and will have less desirable aesthetic qualities. Well #3 and #2 were capped and abandoned in 2007 and 2011, respectively, due to the cost of maintaining them considering their mechanical condition, water quality and capacity.

#### Is my water safe?

The water you receive is routinely tested for over 80 contaminants. The contaminants detected are listed in the table located in this report. As you can see from the table, our system had no violations. Your drinking water meets or exceeds all Federal and State requirements. The EPA has determined that your water IS SAFE at these levels. In 2015 the City participated in the EPA's UCMR3 (Unregulated Contaminant Monitoring Regulation) water sampling. Unregulated contaminants are those for which EPA has not established drinking water standards. Monitoring helps EPA to determine where certain contaminants occur and whether it needs to regulate those contaminants. The contaminants detected are shown in the table below. The complete results can be found on the City's website; <u>www.cityofbadaxe.com</u> click on "UCMR3 Results" or by contacting City Hall at 989-269-7681.

### Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA) Safe Drinking Water Hotline (800-426-4791). The sources of drinking water (both tap and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material and can pick up substances resulting from the presence of animals or from human activity.

Microbial contaminants such as viruses and bacteria may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.

Inorganic contaminants such as salts and metals can be naturally occurring or result from storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming operations.

Pesticides and herbicides may come from a variety of sources such as agriculture, storm water runoff and residential uses.

Organic chemical contaminants including synthetic and volatile organic chemicals are byproducts of industrial processes and petroleum production. They can also come from gas stations, storm water runoff and septic systems.

Radioactive contaminants can be naturally occurring or be the result of oil and gas production and mining activities.

### Do I need to take special precautions?

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City of Bad Axe is responsible for providing high quality drinking water but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (1-800-426-4791) or at http://www.epa.gov/safewater/lead.

The following tables define the various terms and abbreviations you may not be familiar with in the water quality chart.

\*

Unit Descriptions	
Term	Definition
ppm	ppm: parts per million, or milligrams per liter (mg/L) One penny in \$10,000
ppb	ppb: parts per billion, or micrograms per liter (µg/L) One penny in \$10,000,000
pCi/L	pCi/L: picocuries per liter (a measure of radioactivity)
MFL	MFL: million fibers per liter, used to measure asbestos concentration
NTU	NTU: Nephelometric Turbidity Units. Turbidity is a measure of the cloudiness of the water. We monitor it because it is a good indicator of the effectiveness of our filtration system.
Positive samples	positive samples/yr: The number of positive samples taken that year
NA	NA: not applicable
ND	ND: Not detected
NR	NR: Monitoring not required but recommended.

Important Drinking Water Definitions					
Term	Definition				
MCLG	MCLG: Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.				
MCL	MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology. See note below.				
TT	TT: Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water.				
AL	AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.				
Variances and Exemptions	Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions.				
MRDLG	MRDLG: Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.				
MRDL	MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.				
MNR	MNR: Monitored Not Regulated				
MPL	MPL: State Assigned Maximum Permissible Level				

MCL's are set at very stringent levels. To understand the possible health effects described for many regulated constituents, a person would have to drink 2 liters (about one-half gallon) of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect. Visit <u>www.epa.gov/safewater/contaminants/index.html</u> to see a list of contaminants and their potential health effect.

A service line is the pipe that connects a home or business to the city water mains. Service line materials can be lead, galvanized iron pipe, plastic, copper, or even ductile iron (typically larger lines 4" diameter and up). The city has 1,444 service lines in the system, of which 957 are classified as "material unknown – likely does not contain lead". Over the next couple of years, the city will be working to identify the material of these 957 service lines.

Certain people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Contaminants	Susceptible Vulnerable Subpopulation	Level of Concern			
Fecal Coliform/E. Coli	Infants, young children, and people with severely compromised immune systems	Confirmed presence (any confirmed detect)			
Copper	People with Wilson's Disease	1.3 mg/l (ppm)			
Fluoride	Children	4.0 mg/l (ppm)			
Lead	Infants and children	15.0 ug/l (ppb)			
Nitrate	Infants below the age of 6 months.	10.0 mg/l (ppm)			
Nitrite	Infants below the age of 6 months	1.0 mg/l (ppm)			

To ensure that tap water is safe to drink, EPA prescribes regulations that limit the number of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

### How can I get involved?

The Bad Axe City Council meets on the first and third Monday of each month. The Huron Regional Water Authority (HRWA) currently meets on the second Thursday of each month. Contact the Bad Axe City Hall at 989-269-7681 for current schedules and locations for these and various other committee meetings.

**Source Water Assessment** reports prepared by the MDEQ were provided for both water sources. These assessments were conducted in 2003. The purpose of these assessments is to analyze the sensitivity and susceptibility of our drinking water sources. Sensitivity is determined from the natural setting of the source water and indicates natural protection afforded the source water. Susceptibility identifies factors within the source water area that may pose a risk to the water supply.

Bad Axe well:	Sensitivity is moderate. Susceptibility is moderately high.
HRWA:	Sensitivity is moderate. Susceptibility is moderately high.

#### 2022 WATER QUALITY TABLE

This table lists the contaminants detected in the 2022 calendar year. A few contaminants were tested in years previous to 2022 as the EPA/State require us to monitor less than annually because concentrations of certain contaminants do not change frequently.

の時代のなどのなどの	MCLG	MCL, TT	1. 小子		王子子	111			
1. 在一下的一下的一下的一下的	or	or	Your	Ran	ge	Sample	8. 普通道。	<b>计正式的过去式 计正式的 化化物 化化物物 化化物物物</b>	
Contaminants (Sample Source)	MRDLG	MRDL	Water	Low	High	Date	Violation	Typical Source	
Disinfectants & Disinfection By-Proc	lucts		213-33-37		S ACR		1855	在上海 化合金合金合金合金合金合金合金合金合金	
There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.									
Chlorine as Cl2, ppm (Dist)	4	4	0.75	0.15	2.09	2022	No	Water additive used to control microbes	
Haloacetic Acids-HAA5, ppb (Dist)	NA	60	53.3	8	34	2022	No	By-product of drinking water chlorination	
Total Trihalomethanes-TTHMs,	NA	80	25.7	44	74	2022	No	By-product of drinking water chlorination	
ppb (Dist)	1								
Inorganic Contaminants	4000	自我是非	5 5 8.	<b>第十章</b>			1.00	7.2.2.2.2.2.4.2.2.2.2.2.2.2.2.2.2.2.2.2.	
Barium, ppm (HRWA)	NA	2	0.01	NA	NA	2016	No	Discharge of drilling wastes, discharge from	
								metal refineries, erosion of natural deposits	
Calcium, ppm (HRWA)	NA	NA	29	NA	NA	2022	No	Naturally present in water, is dissoved from	
Magnesium, ppm (HRWA)	NA	NA	9.4	NA	NA	2022	No	natural deposits. Components of Hardness.	
Chloride, ppm (HRWA)	NA	NA	17	NA	NA	2022	No	Dissolved from natural deposits, industrial waste	
Nitrate as Nitrogen, ppm (HRWA)	10	10	ND			2022	No	Runoff from fertilizer use; Leaching from septic	
								tanks, sewage; Erosion of natural deposits	
Sodium, ppm (HRWA) **	NA	NA	10			2022	No	Erosion of natural deposits; Leaching	
Sulfate, ppm (HRWA) **	NA	NA	17			2022	No	Dissolved from natural deposits, industrial waste	
Hardness, ppm CaCO3 (HRWA) **	NA	NA	111	82	161	2022	No		
Strontium, ppb (Dist) UCMR3**	NA	NA	108	99	118	2015	No		
Chromium-6, ppb (Dist) UCMR3**	NA	NA	0.10	0.08	0.14	2015	No		
Chlorate, ppb (Dist) UCMR3**	NA	NA	125	51	229	2015	No		
Vanadium, ppb (Dist) UCMR3**	NA	NA	0.25	<0.2*	0.30	2015	No	and a second sec	
Microbiological Contaminants	1444	1221				232.		<b>生产及某事情的考虑非常的利益</b> 的。	
Total Coliform/E. Coli,	0	0	0	NA	NA	2022	No	Human and animal fecal waste	
positive samples ***									
(Dist and HRWA)									
Radioactive Contaminants	S 2 7 1	在 色 化 日	1.4.5	建造	2 第 第	W R R		王子 医人名米克 医含义子 医含义的 自己的	
Alpha emitters, pCi/L (HRWA)	0	15	ND	NA	NA	2015	No	Erosion of natural deposits	
Radium combined 226/228,	0	5	ND	NA	NA	2015	No	Erosion of natural deposits	
pCi/L (HRWA)									
Turbidity		1-2 - 4	112		子位皇		<b>学生</b> 学学	全球来来这个主义不许是实现是非正常有关于;	
Turbidity, NTU (HRWA)	NA	TT 0.5	0.04	0.035	0.117	2022	No	Soil runoff	
	8 2 2 3	882		# of Sa	mples		14.4.4.4	· · · · · · · · · · · · · · · · · · ·	
[ ] ] ] ] ] ] ] ] ] ] ] ] ] ] ] ] ] ] ]				Exceeding		Sample	Exceeds	122322222222222222222222	
Contaminants (Sample Source)	MCLG	AL	Water	A	L	Date	AL	Typical Source	
Inorganic Contaminants	3233	12.2.3	· · · · ·	244	10 E. E	12.4.1	1. 2. 2. 1.	· · · · · · · · · · · · · · · · · · ·	
Copper-action level at consumer	1300	1300	223	(	)	2021	No	Corrosion of household plumbing systems:	
taps, ppb (Dist)					ξΩ			Erosion of natural deposits	
Lead-action level at consumer	0	15	3.7	(	)	2021	No	Corrosion of household plumbing systems:	
taps, ppb (Dist)	404					10000	1000	Erosion of natural deposits	

\* Value is less than the minimum reporting level.

.

\*\* Unregulated contaminants are those for which EPA has not established drinking water standards. Monitoring helps EPA to determine where certain contaminants occur and whether it needs to regulate those contaminants.

\*\*\* A violation occurs when a routine sample and a repeat sample, in any given month, are total coliform positive and one is also fecal or E. Coli

Fluoride, ppm (HRWA)	4	4	ND	NA	NA	2022	No	Erosion of natural deposits; Water additive
								w hich promotes strong teeth; The HRWA does
								not add fluoride to the water.

### Per- and Polyfluoroalkyl Substances (PFAS)

PFAS, sometimes called PFCs, are a group of chemicals that are resistant to heat, water, and oil. PFAS have been classified by the United States Environmental Protection Agency (U.S. EPA) as an emerging contaminant on the national landscape. For decades, they have been used in many industrial applications and consumer products such as carpeting, waterproof clothing, upholstery, food paper wrappings, fire-fighting foams, and metal plating. They are still used today. PFAS have been found at low levels both in the environment and in blood samples from the general U.S. population.

# The HRWA participated in several rounds of testing for these substances in 2022. These compounds were Not Detected (ND) in any samples of both raw (supply water before treatment) and finished (treated) drinking water. The Bad Axe Well #1 has also been tested in 2022. These compounds were Not Detected (ND).

The state has created a website where you can find information about PFAS contamination and efforts to address it in Michigan. The site will be updated as more information becomes available. The website address is: <u>http://michigan.gov/pfasresponse</u>

# **Coronavirus – COVID-19**

There has been no evidence that this virus is viable in drinking water. The virus is extremely susceptible to the treatment processes our drinking water undergoes. The water treatment plant operates at a minimum of a 4-log reduction (99.99%) of microorganisms and routinely exceeds that level. For more information concerning the treatment plant performance contact the Plant Manager, James Guster at 989-738-4180 or <u>HRWA@airadvantage.net</u>.

Please contact the City of Bad Axe, Director of Public Works, Dennis McCabe at 989-269-9132 or City Hall at 989-269-7681 if you have questions regarding this report. The report is also available on the City's web site at <u>www.cityofbadaxe.com</u>.